

# GML-2210E

54.6 cm (21.5") LCD/TFT Monitor LED Backlight




- Full-HD TFT-LCD monitor
- Displays a full, flat 21,5" (54.6 cm) diagonal image
- LED Backpanel illumination
- 1 HDMI, 1 VGA Input
- Built-in Speaker

## SPECIFICATIONS

LCD Panel size	21,5" Diagonal TFT-LCD LED Backlight
Pixels - Total	1920(H) x 1080(V)
Pixel Pitch	0.248 mm(H) x 0.248 mm(V)
Aspect Ratio	16 : 9
Video Inputs	1x HDMI, 1x VGA
Brightness	300 cd/m <sup>2</sup>
Contrast ratio	1000:1
Number of Colours	16.7 million
Viewing Angle	170°(H) ~ 160°(V)
Response Time	5 ms
Audio Inputs	2 CH (1xHDMI, 1xMiniJack Connector)
Speaker Output	2 x 2W
Vesa Mount	100 x 100 mm
OSD	Yes, multi language
MTBF at 25° C	> 30,000 hours
Operating Temperature	0°C ~ +40°C
Operating Humidity	10% ~ 90%, non-condensing
Storage Temperature	-20°C ~ +50°C
Certification	CE, FCC, RoHS
Supply Voltage	100 ~ 240 Vac, 50/60Hz
Power Consumption	25 W
Weight	3.5 kg
Dimensions w*h*d	510 x 371 x 51.5 mm

## DIMENSIONS



## FRONT VIEW

---

