



VMC-8LCD-CM01B

Article number: 203450

8" (20.3cm) LCD Monitor, 1024x768, Black Metal Cabinet, 12VDC

Mainfeatures

8" (20.3cm) display screen size

Multi language on-screen menu control

CVBS and RGB input

Supply voltage: 12VDC

Different ranges of application

PAL/NTSC auto selection

Resolution 800x600, 1024x768, 1152x864 px

Robust metal cabinet

Accessories: PSU, remote control unit, VGA cable

Specifications

Video standard	PAL, NTSC (Auto detection)
Resolution	1024x768 (4:3)
Synchronization	TTL Separate, Composite
Display:	
Contrast ratio typical	500:1
Response time typical	50 ms
Brightness typical	250 cd/m ²
Viewing angle vertical	130 °
Viewing angle horizontal	140 °
Screen size	8"
Screen Size (cm)	20,3 cm
Features:	
Menu languages	English, German, French, Spanish, Italian, Korean, Japanese


VMC-8LCD-CM01B

Continued Specifications

Interfaces / Inputs / Outputs:	
Video inputs	1Vp-p, (C)VBS, 75ohms, BNC
Video inputs (type)	composite (CVBS), VGA
Serial interfaces	no
General:	
Dimensions (HxWxD)	178x215x36mm
Mount	VESA standard (4 threads M4, 75x75mm)
Housing material	metal
Housing color	black
Weight	1.1kg
Power consumption	10W max.
Supply voltage	12VDC +/-5% (Power supply unit included), 12 ~ 24VDC
Temperature range (operation)	-10°C ~ +60°C
Scope of delivery:	
Parts supplied	PSU 100~240V/12VDC with power cord, VGA cable, IR remote control unit, Multiple language manual

VMC-8LCD-CM01B

Available Accessories

Image	Prod. No / Label	Description		
	208865 / VMC-LCD/WMB-2	Wall Bracket for TFT/LCD Monitors, straight, VESA		
" data-bbox="108 248 200 268"/>	90394 / VMC-LCD/WCMB-1	Wall/Ceiling Bracket for LCD Monitors 15"/>" data-bbox="125 302 185 348"/>	90491 / LCD-ST/CM1	Desktop Mount for LCD Monitor VMC-8.4 and VMC-10.4, CM Series

Your Contact Person



eneo is a registered trademark of
VIDEOR E. Hartig GmbH
Carl-Zeiss-Straße 8
63322 Rödermark
Deutschland
Tel.: +49 6074-888-333
E-Mail: info@eneo-security.com
Web: www.eneo-security.com